

**EARTHMOVER TIRE  
LIMITED WARRANTY  
For 20 to 39 Inch Rim Diameter Tires**

**WHO IS ELIGIBLE?**

You are eligible for the benefits of this Limited Warranty if you are the original purchaser or authorized agent of the original purchaser of new Goodyear 20 to 39 inch rim diameter Grader or Earthmover tires bearing our serial numbers.

**WHAT IS COVERED AND FOR HOW LONG?**

This Limited Warranty covers all Goodyear 20 to 39 inch rim diameter tires presented for adjustment on or after September 1, 2005. The Limited Warranty is in effect for 4 years commencing on the date of purchase. If proof of the purchase date is not available, the date of manufacture indicated on the serial number will be used as the warranty commencement date.

**Coverage**

If any Goodyear 20 to 39 inch rim diameter tire covered by this Limited Warranty becomes unserviceable due to a covered warranty condition, such tire will, at the option of Goodyear, be repaired or replaced with a comparable new Goodyear tire, discounted on a pro rata basis, or, at Goodyear's option, Goodyear will issue an appropriate credit. The customer charge for replacement will be calculated by multiplying Goodyear's current replacement tire price at the adjustment location (exclusive of taxes), by the percentage determined from the following chart. In the event Goodyear issues a credit, the credit will reflect the discount that would have been included in the foregoing charge.

20 to 39 Inch Rim Diameter Tire Wear (Percent of original non-skid used)									
	0% to 10%	11% to 20%	21% to 30%	31% to 40%	41% to 50%	51% to 60%	61% to 70%	71% to 80%	81% to 100%
<b>PURCHASE DATE</b>	<b>CUSTOMER CHARGE</b>								
<b>12 Months or Less</b>	10%	20%	30%	40%	50%	60%	70%	80%	100%
<b>24 Months or Less</b>	25%	35%	45%	55%	65%	75%	85%	95%	100%
<b>36 Months or Less</b>	50%	60%	70%	80%	90%	95%	100%	100%	100%
<b>48 Months or Less</b>	75%	85%	95%	95%	95%	100%	100%	100%	100%
<b>More than 48months</b>	100%	100%	100%	100%	100%	100%	100%	100%	100%

**WARRANTY LIMITATIONS:**

This Limited Warranty is applicable to tires purchased from The Goodyear Tire & Rubber Company, Goodyear Canada Inc. or Goodyear International Corporation and their subsidiaries ("Goodyear").

No representative or dealer has authority to make any representation, promise, warranty or agreement on behalf of Goodyear except as stated herein.

Any tire, no matter how well constructed, may fail in service or otherwise become unserviceable due to conditions beyond the control of the manufacturer. Under no circumstances is this limited warranty a representation that a tire failure cannot occur.

**WHAT IS NOT COVERED BY THIS WARRANTY?**

- Tires purchased more than 48 months prior to presentation for adjustment. Without proof of purchase date, tires manufactured 48 months prior to presentation are not covered.
- Tires for which an alternate warranty/guarantee has been negotiated.
- Uniformity or vibration claims on tires purchased more than 6 months prior to presentation for adjustment, or if proof of purchase is not available, more than 6 months after the manufacture date.

- Air retention claims on tires purchased more than 3 months prior to presentation for adjustment, or if proof of purchase is not available, more than 3 months after the manufacture date.
- Irregular wear or tire damage due to: impact breaks, cuts, cut separations, snags, machine damage, wreck, collision, fire, improper inflation, overloading, misapplication, misuse, negligence, operation at excessive speed, rim or chain damage or damage caused by the mechanical condition of the vehicle.
- Tires operating in excess of their rated Ton-Mile-Per-Hour (TMPH) or Tonne-Kilometre-Per-Hour (TKPH) factor. Goodyear uses a 4 hour rolling average for TMPH / TKPH calculations. (A detailed description of TMPH / TKPH ratings may be found in Goodyear Publication: Off-The-Road Tires Engineering Data which can be found at [www.goodyearotr.com](http://www.goodyearotr.com)).
- Tires operating in excess of the rated Work Capability Factor (WCF).
- Tires operated in applications that are inconsistent with the Equipment's specifications or restrictions.
- Tires with improperly seated beads. Knurling impressions from the rim that continue around the bead heel are sufficient evidence of improper seating.
- Tires mounted with "O" rings that are not approved by Goodyear for use with its Earthmover tires.
- Tires that have failed due to material added after original manufacture (example: tire fillers, sealant, ballast or balancing substances). If the added material is the cause of the tire being removed from service, they will not be adjusted.
- The cost of material added after original manufacture (example: tire fillers, sealant, ballast or balancing substances) regardless of removal cause.
- Repairs or Retreads.
- **GOODYEAR EXPRESSLY DISCLAIMS ANY WARRANTY OF FITNESS, MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE. THIS WARRANTY DOES NOT INCLUDE LOSS OF TIME, LOSS OF USE OF EQUIPMENT, LOST PROFITS, INCONVENIENCE, COST OF REPLACEMENT EQUIPMENT, OR ANY OTHER INCIDENTAL OR CONSEQUENTIAL DAMAGES.**

#### **WHAT ARE YOUR LEGAL RIGHTS?**

Some states and provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitations or exclusions may not apply to you.

#### **OWNERS OBLIGATIONS**

- A. You must present the tire to be considered for adjustment to an authorized Goodyear dealer or Goodyear Service Representative. See back cover for addresses and telephone numbers of Goodyear Service representatives.
- B. You must pay for taxes, mounting and any additional services you order at the time of adjustment. For tires imported by or specifically for a Buyer (or his agent), Goodyear's responsibility will be based upon the Cost & Freight Port of Entry tire value prior to payment of import duties.

- C. No claim will be recognized unless the product is inspected and a claim is submitted electronically or on a Goodyear claim form into Goodyear's OTR Adjustment database by a Goodyear Representative. All adjustments are confirmed by mail.
- D. Onboard machine cycle, payload and productivity information must be made available to the authorized Goodyear Dealer or Goodyear Service Representative if requested.
- E. Adjusted tires may be incapacitated. Disposal of the tire is the responsibility of the owner.

## **WARNING**

Property Damage, Serious Injury or Death may result from:

- ◆ **FAILURE DUE TO UNDERINFLATION/OVERLOADING:**

Follow owner's manual or tire placard placed in the vehicle.

- ◆ **EXPLOSION OF TIRE / RIM ASSEMBLY DUE TO IMPROPER MOUNTING:**

Consider using nitrogen to inflate OTR tires to reduce the risk of explosive tire failure. Only specially trained persons using proper equipment should mount tires.

- ◆ **FAILURE TO DEFLATE SINGLE OR DUAL ASSEMBLIES COMPLETELY BEFORE DEMOUNTING:**

Before loosening any clamps or nuts that attach a multi-piece rim assembly to a vehicle always completely deflate the tire mounted as a single or both tires in a dual assembly by removing the valve core(s). Never attempt to remove a tire from a rim unless the tire is completely deflated. In both cases above check the valve stem by running a piece of wire through the stem to make sure it is not plugged.

- ◆ **WELDING, BRAZING OR USING ANY TYPE OF HEAT SOURCE ON A MOUNTED TIRE / RIM ASSEMBLY:**

Do not, under any circumstances, attempt to rework, weld, heat or braze any rim components that are cracked, broken or damaged. Replace with new parts or parts that are not cracked, broken or damaged, and which are the same size, type and manufacturer. Consult the rim manufacturer concerning proper replacement components.

### **FOR ASSISTANCE OR TO FIND THE GOODYEAR DEALER NEAREST YOU:**

Please contact the Goodyear Off-The-Road Tire Action Line  
 1144 E. Market Street  
 Akron, OH. 44316  
 1-330-796-0610

### **CANADIAN DISTRICT OFFICE:**

450 Kipling Ave.  
 Toronto, Ontario M8Z-5E1 .....416-201-4300

### **GOODYEAR INTERNATIONAL OFFICES:**

European Manager, EMSS  
 Goodyear S.A.  
 Avenue Gordon Smith

L-7750 Colmar-Berg ..... Phone 352-8199-2112  
Grand Duchy of Luxembourg ..... Fax 352-8199-2131

Manager OTR Operations (Japan)

c/o Goodyear Wingfoot K.K.  
Sankaido Building – 3<sup>rd</sup> Floor  
9-13 Akasaka 1-Chome  
CPO Box 1054 .....Phone 813-5572-7427  
Minatu-Ku Tokyo 107 Japan ..... Fax 813-3583-8267

General Manager OTR Operations (Asia/Australia)

Level 2, 460 Church Street  
N. Parramatta, NSW 2151 .....Phone 011-612-9768-6011  
Australia  
..... Fax 011-612-9630-0789

Manager – OTR Tires (India)

Mathura Road, Ballabgarh, Haryana – 121004  
Dist. Faridabad India ..... Phone 91-129-5069000  
..... Fax 91-129-5069051

General Manager OTR Tires (Latin America)

Goodyear do Brasil – Produtos da Borracha  
Km 128 – Via Anhanguera  
Cep: 13474-900  
Americana – SP ..... Phone 55-19-3471-1097  
..... Fax 55-19-3471-1066

EM Tire Manager (Brasil)

Companhia Goodyear do Brasil – Produtos de Borracha  
Avenida Paulista, 854 – 8/11 andar  
Cep: 01310-913  
Caixa Postal: 1424  
São Paulo – SP  
Brasil ..... Phone 55-11-3281-4276  
.....Fax 55-11-3281-4432

Manager EM Tire Sales & Service (Chile)

c/o Goodyear de Chile S.A.I.C.  
Hendaya 60 Piso 9  
Las Condes – Santiago .....Phone 56-2-530-1888  
..... Fax 56-2-530-1333