



GOODYEAR TIRES FOR KOMATSU EQUIPMENT



2004 Edition



GOODYEAR
OFF-THE-ROAD-TIRES

RADIAL TIRE SELECTION LOADER APPLICATION



BIAS TIRE SELECTION LOADER APPLICATION

OPERATING SPEED



SGL-2A

Sure Grip Lug

GOODYEAR
OFF-THE-ROAD TIRES



HRL-3A

SHRL DL

SHRL XT DL



HRL-DL 4G



HRL-DL 5C

SXT-DL



NRL DL 5A



NDL DL 5/15C



SMO DL 5A / 5B

CUT RESISTANCE / PROTECTION

T
R
A
C
T
I
O
N

Komatsu Loader Tire Sizes

Model No.	Vehicle Capacity	Tire Size	Type/ Description	Ply / Star Rating	Industry Code	Cpmd / Const
WA65-3	0.92-1.30 yd³	335/80R18	SPT9	145A2/134B	L-2	
		335/80R20	SPT9	147A2/136B	L-2	
WA75-3	1.04-1.63 yd³	335/80R20	SPT9	147A2/136B	L-2	
		405/75R20	SPT9	155A2/143B	L-2	
WA120L-3 Avance Plus	1.70-1.85 yd³	15.5R25	RL-2F	1*	L-2	6S
		15.5R25	GP-2B	1*	L-3T	6S
		17.5R25	AS-3A	1*	L-3T	
		17.5R25	GP-3D	1*	L-3T	6S
		17.5R25	RL-2+	1*	L-3+T	6S
		17.5R25	RL-5K 08/08 ¹	3*	L-5	6S
		17.5R25	RL-5K 12/12 ¹	3*	L-5	6S
		17.5R25	RL-5S	3*	L-5S	6S
		15.5-25	SGL DL 2A	12	L-2	
		15.5-25	HRL DL 3A	12	L-3	
		17.5-25	SGL DL 2A	12, 16, 20	L-2	
		17.5-25	HRL DL 3A	12, 16, 20	L-3	
		17.5-25	SMO DL 5B	20	L-5S	6S
WA180-3 Avance Plus	2.10-2.90 yd³	17.5R25	AS-3A	1*	L-3T	6S
		17.5R25	GP-2B	1*	L-3T	6S
		17.5R25	GP-3D	1*	L-3T	6S
		17.5R25	RL-2+	1*	L-3+T	6S
		17.5R25	RL-5K 08/08 ¹	3*	L-5	6S
		17.5R25	RL-5K 12/12 ¹	3*	L-5	6S
		17.5R25	RL-5S	3*	L-5S	6S
		17.5-25	SGL DL 2A	12, 16, 20	L-2	
		17.5-25	HRL DL 3A	12, 16, 20	L-3	
		17.5-25	SMO DL 5B	20	L-5S	6S
		17.5R25	AS-3A	1*	L-3T	6S

¹ Number of lugs each side of tire

Komatsu Loader Tire Sizes

Model No.	Vehicle Capacity	Tire Size	Type/ Description	Ply / Star Rating	Industry Code	Cpmd / Const
WA180PT-3 Avance Plus	2.25-2.50 yd³	17.5R25	AS-3A	1*	L-3T	6S
		17.5R25	GP-2B	1*	L-3T	6S
		17.5R25	GP-3D	1*	L-3T	6S
		17.5R25	RL-2+	1*	L-3+T	6S
		17.5R25	RL-5K 08/08 ¹	3*	L-5	6S
		17.5R25	RL-5K 12/12 ¹	3*	L-5	6S
		17.5R25	RL-5S	3*	L-5S	6S
		17.5-25	SGL DL 2A	12, 16, 20	L-2	
		17.5-25	HRL DL 3A	12, 16, 20	L-3	
17.5-25	SMO DL 5B	20	L-5S	6S		
WA250-5	2.50-3.50 yd³	17.5R25	AS-3A	1*	L-3T	6S
		17.5R25	GP-2B	1*	L-3T	6S
		17.5R25	GP-3D	1*	L-3T	6S
		17.5R25	RL-2+	1*	L-3+T	6S
		17.5R25	RL-5K 08/08 ¹	3*	L-5	6S
		17.5R25	RL-5K 12/12 ¹	3*	L-5	6S
		17.5R25	RL-5S	3*	L-5S	6S
		17.5-25	SGL DL 2A	12, 16, 20	L-2	
		17.5-25	HRL DL 3A	12, 16, 20	L-3	
17.5-25	SMO DL 5B	20	L-5S	6S		
WA250PT-5	2.50-3.50 yd³	17.5R25	AS-3A	1*	L-3T	6S
		17.5R25	GP-2B	1*	L-3T	6S
		17.5R25	GP-3D	1*	L-3T	6S
		17.5R25	RL-2+	1*	L-3+T	6S
		17.5R25	RL-5K 08/08 ¹	3*	L-5	6S
		17.5R25	RL-5K 12/12 ¹	3*	L-5	6S
		17.5R25	RL-5S	3*	L-5S	6S
		20.5R25	RT-3B Stone Gard	1*	L-3	4S, 6S
		20.5R25	GP-2B	1*	L-3T	6S
		20.5R25	GP-2B	2*	L-3T	4S

¹ Number of lugs each side of tire

Komatsu Loader Tire Sizes

Model No.	Vehicle Capacity	Tire Size	Type/ Description	Ply / Star Rating	Industry Code	Cpmd / Const
WA250PT-5 (cont)	2.50-3.50 yd³	20.5R25	RL-2+	1*	L-3+T	6S
		20.5R25	RL-2+	2*	L-3+T	4S
		20.5R25	TL-3A+	1*	L-3+T	6S
		20.5R25	TL-3A+	2*	L-3+T	4S
		20.5R25	RL-5K 24/24 ¹	1*	L-5	6S
		20.5R25	RL-5K 24/24 ¹	2*	L-5	4S
		650/65R25 (20.5R25)	GP-3D	1*	L-3T	6S
		650/65R25 (20.5R25)	GP-3D	2*	L-3T	4S
		17.5-25	SGL DL 2A	12, 16, 20	L-2	
		17.5-25	HRL DL 3A	12, 16, 20	L-3	
		17.5-25	SMO DL 5B	20	L-5S	6S
		20.5-25	SGL EL 2A	12	L-2	4S
		20.5-25	SGL EL 2A	16, 20	L-2	4S
		20.5-25	HRL EL 3A	12, 16, 20	L-2	4S
20.5-25	SXT LDR	12	L-5	4S		
WA320-3 Avance Plus	2.75-4.20 yd³	17.5R25	AS-3A	1*	L-3T	6S
		17.5R25	GP-2B	1*	L-3T	6S
		17.5R25	GP-3D	1*	L-3T	6S
		17.5R25	RL-2+	1*	L-3+T	6S
		17.5R25	RL-5K 08/08 ¹	3*	L-5	6S
		17.5R25	RL-5K 12/12 ¹	3*	L-5	6S
		17.5R25	RL-5S	3*	L-5S	6S
		20.5R25	RT-3B Stone Gard	1*	L-3	4S, 6S
		20.5R25	GP-2B	1*	L-3T	6S
		20.5R25	GP-2B	2*	L-3T	4S
		20.5R25	RL-2+	1*	L-3+T	6S
		20.5R25	RL-2+	2*	L-3+T	4S
		20.5R25	TL-3A+	1*	L-3+T	6S
		20.5R25	TL-3A+	2*	L-3+T	4S
20.5R25	RL-5K 24/24 ¹	1*	L-5	6S		

¹ Number of lugs each side of tire

Komatsu Loader Tire Sizes

Model No.	Vehicle Capacity	Tire Size	Type/ Description	Ply / Star Rating	Industry Code	Cpmd / Const
WA320-3 Avance Plus (cont)	2.75-4.20 yd³	20.5R25	RL-5K 24/24 ¹	2*	L-5	4S
		650/65R25 (20.5R25)	GP-3D	1*	L-3T	6S
		650/65R25 (20.5R25)	GP-3D	2*	L-3T	4S
		17.5-25	SGL DL 2A	12, 16, 20	L-2	
		17.5-25	HRL DL 3A	12, 16, 20	L-3	
		17.5-25	SMO DL 5B	20	L-5S	6S
		20.5-25	SGL EL 2A	12, 16, 20	L-2	4S
		20.5-25	HRL EL 3A	12, 16, 20	L-2	4S
		20.5-25	SXT LDR	12	L-5	4S
WA380-5	3.80-5.20 yd³	23.5R25	RT-3B Stone Gard	1*	L-3	4S, 6S
		23.5R25	GP-2B	1*	L-3T	6S
		23.5R25	GP-2B	2*	L-3T	4S
		23.5R25	GP-4B AT	1*	L-4	6S
		23.5R25	GP-4B AT	2*	L-4	4S, 6S
		23.5R25	GP-4C	1*	L-4	6S
		23.5R25	RT-5C	1*	L-5	
		23.5R25	RL-5K 24/24 ¹	1*	L-5	6S
		23.5R25	RL-5K 24/24 ¹	2*	L-5	4S
		750/65R25 (30/65R25)	GP-3D	1*	L-3T	6S
		750/65R25 (30/65R25)	GP-3D	2*	L-3T	4S
		750/65R25 (30/65R25)	RL-2+	2*	L-3+T	4S
		23.5-25	SGL EL 2A	12, 16, 20	L-2	4S
		23.5-25	HRL EL 3A	12, 16, 20	L-3	4S
		23.5-25	SHRL XT DL	20	L-4	4S
23.5-25	SXT DL (HRL DL)	20	L-5	4S		
WA400-5	4.10-5.60 yd³	23.5R25	RT-3B Stone Gard	1*	L-3	4S, 6S
		23.5R25	GP-2B	1*	L-3T	6S
		23.5R25	GP-2B	2*	L-3T	4S
		23.5R25	GP-4B AT	1*	L-4	6S
		23.5R25	GP-4B AT	2*	L-4	4S, 6S

¹ Number of lugs each side of tire

Komatsu Loader Tire Sizes

Model No.	Vehicle Capacity	Tire Size	Type/ Description	Ply / Star Rating	Industry Code	Cpmd / Const
WA400-5 (cont)	4.10-5.60 yd ³	23.5R25	GP-4C	1*	L-4	6S
		23.5R25	RT-5C	1*	L-5	
		23.5R25	RL-5K	1*	L-5	6S
		23.5R25	RL-5K 24/24 ¹	1*	L-5	6S
		23.5R25	RL-5K 24/24 ¹	2*	L-5	4S
		750/65R25 (30/65R25)	GP-3D	1*	L-3T	6S
		750/65R25 (30/65R25)	GP-3D	2*	L-3T	4S
		750/65R25 (30/65R25)	RL-2+	2*	L-3+T	4S
		23.5-25	SGL EL 2A	12, 16, 20	L-2	4S
		23.5-25	HRL EL 3A	12, 16, 20	L-3	4S
		23.5-25	SHRL XT DL	20	L-4	4S
		23.5-25	SXT DL (HRL DL)	20	L-5	4S
WA450-5	4.70-6.80 yd ³	26.5R25	RT-3B Stone Gard	1*	L-3	6S
		26.5R25	RT-3B Stone Gard	2*	L-3	4S, 6S
		26.5R25	GP-2B	2*	L-3T	4S
		26.5R25	GP-2B	1*	L-3T	6S
		26.5R25	RL-2+	1*	L-3+T	6S
		26.5R25	RL-2+	2*	L-3+T	4S
		26.5R25	TL-3A+	1*	L-3+T	6S
		26.5R25	TL-3A+	2*	L-3+T	4S
		26.5R25	RL-4K 24/24 ¹	1*	L-4	6S
		26.5R25	RT-5C	1*	L-5	6S
		26.5R25	RL-5K	1*	L-5	6S
		26.5R25	RL-5K 12/12 ¹	1*	L-5	6S
		26.5R25	RL-5K 24/24 ¹	1*	L-5	6S
		26.5R25	SM-5A	2*	L-5	6S
		800/65R29*	GP-4D	1*	L-4	6S
		800/65R29*	GP-4D	2*	L-4	4S
		26.5-25	SG LUG DL	20	L-2	4S
		26.5-25	SHRL DL	20	L-3	4S

¹ Number of lugs each side of tire

* Requires 29" rim

Komatsu Loader Tire Sizes

Model No.	Vehicle Capacity	Tire Size	Type/ Description	Ply / Star Rating	Industry Code	Cpmd / Const
WA450-5 (cont)	4.70-6.80 yd³	26.5-25	SHRL XT DL	20, 24	L-4	4S
		26.5-25	SXT DL (HRL DL)	20, 24, 32	L-5	4S
		26.5-25	HRL DL 5C	20	L-5	4S
WA480-5	5.00-8.00 yd³	26.5R25	RT-3B Stone Gard	1*	L-3	6S
		26.5R25	RT-3B Stone Gard	2*	L-3	4S, 6S
		26.5R25	GP-2B	2*	L-3T	4S
		26.5R25	GP-2B	1*	L-3T	6S
		26.5R25	RL-2+	1*	L-3+T	6S
		26.5R25	RL-2+	2*	L-3+T	4S
		26.5R25	TL-3A+	1*	L-3+T	6S
		26.5R25	TL-3A+	2*	L-3+T	4S
		26.5R25	RL-4K 24/24 ¹	1*	L-4	6S
		26.5R25	RT-5C	1*	L-5	6S
		26.5R25	RL-5K	1*	L-5	6S
		26.5R25	RL-5K 12/12 ¹	1*	L-5	6S
		26.5R25	RL-5K 24/24 ¹	1*	L-5	6S
		26.5R25	SM-5A	2*	L-5	6S
		800/65R29*	GP-4D	1*	L-4	6S
		800/65R29*	GP-4D	2*	L-4	4S
		26.5-25	SG LUG DL	20	L-2	4S
		26.5-25	SHRL DL	20	L-3	4S
		26.5-25	SHRL	20	L-4	4S
		26.5-25	SHRL XT DL	20, 24	L-4+T	4S
26.5-25	SHRL	26	L-5	2S		
26.5-25	SXT DL (HRL DL)	20, 24, 32	L-5	4S		
26.5-25	HRL DL 5C	20	L-5	4S		
WA500-3 Avance Plus	5.60-7.20 yd³	29.5R25	GP-2B	1*	L-3T	6S
		29.5R25	GP-2B	2*	L-3T	4S
		29.5R25	RL-2+	1*	L-3+T	6S
		29.5R25	RL-2+	2*	L-3+T	4S, 6S

¹ Number of lugs each side of tire

* Requires 29" rim

Komatsu Loader Tire Sizes

Model No.	Vehicle Capacity	Tire Size	Type/ Description	Ply / Star Rating	Industry Code	Cpmd / Const
WA500-3 Avance Plus (cont)	5.60-7.20 yd³	29.5R25	RL-4K 24/24 ¹	1*	L-4	6S
		29.5R25	RL-5K	1*	L-5	6S
		29.5R25	RL-5K 24/24 ¹	1*	L-5	6S
		875/65R29*	GP-4D	1*	L-4	6S
		875/65R29*	GP-4D	2*	L-4	4S
		29.5-25	HRL DL 3A	22	L-3	4S
		29.5-25	HRL DL 3A	28	L-3	4S
		29.5-25	SHRL XT DL	28	L-4+T	4S
		29.5-25	SXT DL (HRL DL)	22, 28	L-5	4S
		29.5-25	HRL DL 5C	22	L-5	4S
29.5-25	SMO DL 5A	28	L-5S	6S		
WA600-3 Avance Plus	7.30-9.80 yd³	35/65-33	NRL DL 4A	24, 30	L-4	4J
		35/65-33	NDL DL 5/15C	24	L-5	6J
		35/65-33	NRL DL 5A	24	L-5	4J, 6J
		35/65-33	NRL DL 5A	30	L-5	4J, 6J
		35/65-33	NRL DL 5A	42	L-5	6J
		35/65-33	NSM DL 5B	24	L-5S	6J
WA700-3	11.40-12.30 yd³	41.25/70-39	NRL DL 5A	34	L-5	4J
		41.25/70-39	NRL DL 5A	42	L-5	6J
WA800-3	14.40-16.00 yd³	45/65R45	RL-4K 20/20 ¹	1*	L-4	4S, 6S
		45/65R45	RL-5K 05/05 ¹	1*	L-5	6S
		45/65R45	RL-5K 20/20 ¹	1*	L-5	4S, 6S
WA800-3	14.40-16.00 yd³	11.50/65R45	RL-5K 20/20 ¹ High Stability	2*	L-5	6S
		11.50/65R45	RL-5K 05/05 ¹ High Stability	2*	L-5	6S
		45/65-45	NRL DL 5A	58	L-5	6J
WA900-3	15.00-17.00 yd³	45/65R45	RL-4K 20/20 ¹	1*	L-4	4S, 6S
		45/65R45	RL-5K 05/05 ¹	1*	L-5	6S
		45/65R45	RL-5K 20/20 ¹	1*	L-5	4S, 6S
		11.50/65R45	RL-5K 05/05 ¹ High Stability	2*	L-5	6S

¹ Number of lugs each side of tire

* Requires 29" rim

Komatsu Loader Tire Sizes

Model No.	Vehicle Capacity	Tire Size	Type/ Description	Ply / Star Rating	Industry Code	Cpmd / Const
WA900-3 (cont)	15.00-17.00 yd³	11.50/65R45	RL-5K 20/20 ¹ High Stability	2*	L-5	6S
		45/65-45	NRL DL 5A	58	L-5	6J

¹ Number of lugs each side of tire

Komatsu Loader Tire Sizes

Model No.	Vehicle Capacity	Tire Size	Type/ Description	Ply / Star Rating	Industry Code	Cpmd / Const
DRESSTA						
515CH	2.00-2.50 yd³	15.5R25	RL-2F	1*	L-2	6S
		15.5R25	GP-2B	1*	L-3T	6S
		17.5R25	AS-3A	1*	L-3T	
		17.5R25	GP-2B	1*	L-3T	6S
		17.5R25	GP-3D	1*	L-3T	6S
		17.5R25	RL-2+	1*	L-3+T	6S
		17.5R25	RL-5K 08/08 ¹	3*	L-5	6S
		17.5R25	RL-5K 12/12 ¹	3*	L-5	6S
		17.5R25	RL-5S	3*	L-5S	6S
		17.5-25	SGL DL 2A	12, 16, 20	L-2	
		17.5-25	HRL DL 3A	12, 16, 20	L-3	
		17.5-25	SMO DL 5B	20	L-5S	6S
		15.5-25	SGL DL 2A	12	L-2	
		15.5-25	HRL DL 3A	12	L-3	
520EH	2.00-3.00 yd³	20.5R25	RT-3B Stone Gard	1*	L-3	4S, 6S
		20.5R25	GP-2B	1*	L-3T	6S
		20.5R25	GP-2B	2*	L-3T	4S
		20.5R25	TL-3A+	1*	L-3+T	6S
		20.5R25	TL-3A+	2*	L-3+T	4S
		20.5R25	RL-2+	1*	L-3+T	6S
		20.5R25	RL-2+	2*	L-3+T	4S
		20.5R25	RL-5K 24/24 ¹	1*	L-5	6S
		20.5R25	RL-5K 24/24 ¹	2*	L-5	4S
		650/65R25 (20.5R25)	GP-3D	1*	L-3T	6S
		650/65R25 (20.5R25)	GP-3D	2*	L-3T	4S
		20.5-25	SGL EL 2A	12, 16, 20	L-2	4S
		20.5-25	HRL EL 3A	12, 16, 20	L-2	4S
		20.5-25	SXT LDR	12	L-5	4S

¹ Number of lugs each side of tire

Komatsu Loader Tire Sizes

Model No.	Vehicle Capacity	Tire Size	Type/ Description	Ply / Star Rating	Industry Code	Cpmd / Const
DRESSTA						
520E	2.50-3.00 yd ³	15.5R25	RL-2F	1*	L-2	6S
		15.5R25	GP-2B	1*	L-3T	6S
		17.5R25	AS-3A	1*	L-3T	
		17.5R25	GP-2B	1*	L-3T	6S
		17.5R25	GP-3D	1*	L-3T	6S
		17.5R25	RL-2+	1*	L-3+T	6S
		17.5R25	RL-5K 08/08 ¹	3*	L-5	6S
		17.5R25	RL-5K 12/12 ¹	3*	L-5	6S
		17.5R25	RL-5S	3*	L-5S	6S
		20.5R25	RT-3B Stone Gard	1*	L-3	4S, 6S
		20.5R25	GP-2B	1*	L-3T	6S
		20.5R25	GP-2B	2*	L-3T	4S
		20.5R25	TL-3A+	1*	L-3+T	6S
		20.5R25	TL-3A+	2*	L-3+T	4S
		20.5R25	RL-2+	1*	L-3+T	6S
		20.5R25	RL-2+	2*	L-3+T	6S
		20.5R25	RL-5K 24/24 ¹	1*	L-5	6S
		20.5R25	RL-5K 24/24 ¹	2*	L-5	4S
		650/65R25 (20.5R25)	GP-3D	1*	L-3T	6S
		650/65R25 (20.5R25)	GP-3D	2*	L-3T	4S
		15.5-25	SGL DL 2A	12	L-2	
		15.5-25	HRL DL 3A	12	L-3	
		17.5-25	SGL DL 2A	12, 16, 20	L-2	
		17.5-25	HRL DL 3A	12, 16, 20	L-3	
		17.5-25	SMO DL 5B	20	L-5S	6S
		20.5-25	SGL EL 2A	12, 16, 20	L-2	4S
20.5-25	HRL EL 3A	12, 16, 20	L-2	4S		
20.5-25	SXT LDR	12	L-5	4S		

¹ Number of lugs each side of tire

Komatsu Loader Tire Sizes

Model No.	Vehicle Capacity	Tire Size	Type/ Description	Ply / Star Rating	Industry Code	Cpmd / Const
DRESSTA						
520CH	2.50-3.00 yd³	20.5R25	RT-3B Stone Gard	1*	L-3	4S, 6S
		20.5R25	GP-2B	1*	L-3T	6S
		20.5R25	GP-2B	2*	L-3T	4S
		20.5R25	RL-2+	1*	L-3+T	6S
		20.5R25	RL-2+	2*	L-3+T	6S
		20.5R25	TL-3A+	1*	L-3+T	6S
		20.5R25	TL-3A+	2*	L-3+T	4S
		20.5R25	RL-5K 24/24 ¹	1*	L-5	6S
		20.5R25	RL-5K 24/24 ¹	2*	L-5	4S
		650/65R25 (20.5R25)	GP-3D	1*	L-3T	6S
		650/65R25 (20.5R25)	GP-3D	2*	L-3T	4S
		20.5-25	SGL EL 2A	12, 16, 20	L-2	4S
		20.5-25	HRL EL 3A	12, 16, 20	L-2	4S
		20.5-25	SXT LDR	12	L-5	4S

¹ Number of lugs each side of tire

This page intentionally left blank

RADIAL TIRE SELECTION GRADER APPLICATION

T
R
A
C
T
I
O
N

← OPERATING SPEED →



SG-2B

AS-3A

NEW



RT-3B

NEW

← CUT RESISTANCE / PROTECTION →

BIAS TIRE SELECTION GRADER APPLICATION



Komatsu Grader Tire Sizes

Model No.	Tire Size	Type/ Description	Ply / Star Rating	Industry Code
Motor Graders Komatsu				
GD555-3 Laterra	13.00R24TG	SG-2B	1*	G-2
	13.00R24TG	RL-2F	1*	G-2
	13.00R24TG	RL-2F	1*	G-2
	13.00-24	SMG 1A	10	G-1
	13.00-24	SGG 2A	12	G-2
GD-655-3 Laterra	13.00R24TG	SG-2B	1*	G-2
	13.00R24TG	RL-2F	1*	G-2
	13.00R24TG	RL-2F	1*	G-2
	13.00-24	SMG 1A	10	G-1
	13.00-24	SGG 2A	12	G-2
GD655-3 Laterra (Tier 2)	14.00R24TG	AS-3A	1*	G-3T
	14.00R24TG	SG-2B	1*	G-2
	14.00R24TG	RL-2F	1*	G-2
	14.00-24	RBG 1A	12	G-1
	14.00-24	SGG 2A	12,16	G-2
	14.00-24	RKG 3A	16	G-3
	14.00-24	HRL 3A	20	E-3
	14.00-24	SGG 4B	12	G-4
GD675-3 Laterra	14.00R24TG	AS-3A	1*	G-3T
	14.00R24TG	SG-2B	1*	G-2
	14.00R24TG	RL-2F	1*	G-2
	14.00-24	RBG 1A	12	G-1
	14.00-24	SGG 2A	12,16	G-2
	14.00-24	RKG 3A	16	G-3
	14.00-24	HRL 3A	20	E-3
	14.00-24	SGG 4B	12	G-4

Komatsu Grader Tire Sizes

Model No.	Tire Size	Type/ Description	Ply / Star Rating	Industry Code
GD750A-1	14.00R24TG	AS-3A	1*	G-3T
	14.00R24TG	SG-2B	1*	G-2
	14.00R24TG	RL-2F	1*	G-2
	14.00-24	RBG 1A	12	G-1
	14.00-24	SGG 2A	12, 16	G-2
	14.00-24	RKG 3A	16	G-3
	14.00-24	HRL 3A	20	E-3
	14.00-24	SGG 4B	12	G-4
Motor Graders Komatsu				
GD825A-2	14.00R24TG	AS-3A	1*	G-3T
	14.00R24TG	SG-2B	1*	G-2
	14.00R24TG	RL-2F	1*	G-2
	14.00-24	RBG 1A	12	G-1
	14.00-24	SGG 2A	12, 16	G-2
	14.00-24	RKG 3A	16	G-3
	14.00-24	HRL 3A	20	E-3
	14.00-24	SGG 4B	12	G-4

Komatsu Grader Tire Sizes

Model No.	Tire Size	Type/ Description	Ply / Star Rating	Industry Code
Motor Graders Gallion				
830B	13.00R24TG	SG-2B	1*	G-2
	13.00R24TG	RL-2F	1*	G-2
	13.00R24TG	RL-2F	1*	G-2
	13.00-24	SMG 1A	10	G-1
	13.00-24	SGG 2A	12	G-2
830C	13.00R24TG	SG-2B	1*	G-2
	13.00R24TG	RL-2F	1*	G-2
	13.00R24TG	RL-2F	1*	G-2
	13.00-24	SMG 1A	10	G-1
	13.00-24	SGG 2A	12	G-2
850B	14.00R24TG	AS-3A	1*	G-3T
	14.00R24TG	SG-2B	1*	G-2
	14.00R24TG	RL-2F	1*	G-2
	14.00-24	RBG 1A	12	G-1
	14.00-24	SGG 2A	12, 16	G-2
	14.00-24	RKG 3A	16	G-3
	14.00-24	HRL 3A	20	E-3
	14.00-24	SGG 4B	12	G-4
850C	14.00R24TG	AS-3A	1*	G-3T
	14.00R24TG	SG-2B	1*	G-2
	14.00R24TG	RL-2F	1*	G-2
	14.00-24	RBG 1A	12	G-1
	14.00-24	SGG 2A	12, 16	G-2
	14.00-24	RKG 3A	16	G-3
	14.00-24	HRL 3A	20	E-3
	14.00-24	SGG 4B	12	G-4

Komatsu Grader Tire Sizes

Model No.	Tire Size	Type/ Description	Ply / Star Rating	Industry Code
Motor Graders Gallion				
870B	14.00R24TG	AS-3A	1*	G-3T
	14.00R24TG	SG-2B	1*	G-2
	14.00R24TG	RL-2F	1*	G-2
	14.00-24	RBG 1A	12	G-1
	14.00-24	SGG 2A	12, 16	G-2
	14.00-24	RKG 3A	16	G-3
	14.00-24	HRL 3A	20	E-3
	14.00-24	SGG 4B	12	G-4
870C	14.00R24TG	AS-3A	1*	G-3T
	14.00R24TG	SG-2B	1*	G-2
	14.00R24TG	RL-2F	1*	G-2
	14.00-24	RBG 1A	12	G-1
	14.00-24	SGG 2A	12, 16	G-2
	14.00-24	RKG 3A	16	G-3
	14.00-24	HRL 3A	20	E-3
	14.00-24	SGG 4B	12	G-4

RADIAL TIRE SELECTION RIGID TRUCKS



Komatsu Ridged Truck Tire Sizes

Model No.	Truck Size	Tire Size	Type/ Description	Ply / Star Rating	Industry Code	Cpmd / Const
HD-325-6	44 ton	18.00R33	RL-3+	2*	E-3+	2S, 4S
		18.00R33	RL-4B	2*	E-4	4S, 6S
		18.00R33	RL-4J	2*	E-4	4S, 6S
		18.00R33	RT-4A	2*	E-4	2S, 3S, 4S
HD-465-5	61 ton	24.00R35	RL-3+	2*	E-3+	2S, 4S
		24.00R35	RL-4B	2*	E-4	2S, 4S, 6S
		24.00R35	RL-4J	2*	E-4	2S, 4S, 6S
		24.00R35	RT-4A+	2*	E-4	2S, 4S, 6S
HD-465-7	61 ton	24.00R35	RL-3+	2*	E-3+	2S, 4S
		24.00R35	RL-4B	2*	E-4	2S, 4S, 6S
		24.00R35	RL-4J	2*	E-4	2S, 4S, 6S
		24.00R35	RT-4A+	2*	E-4	2S, 4S, 6S
HD-605-5	67 ton	24.00R35	RL-3+	2*	E-3+	2S, 4S
		24.00R35	RL-4B	2*	E-4	2S, 4S, 6S
		24.00R35	RL-4J	2*	E-4	2S, 4S, 6S
		24.00R35	RT-4A+	2*	E-4	2S, 4S, 6S
HD-605-7	67 ton	27.00R49	GP-2B	2*	E-3T	2S
		27.00R49	RL-4	2*	E-4	2S, 3S, 4S
		27.00R49	RL-4B	2*	E-4	2S, 3S, 4S, 6S
HD-605-7 (cont)	67 ton	27.00R49	RL-4H	2*	E-4	2S, 3S, 4S, 6S
		27.00R49	RL-4J	2*	E-4	3S, 4S, 6S
		27.00R49	RL-4JII	2*	E-4	2S, 3S, 4S, 6S
		27.00R49	RT-4A	2*	E-4	6S
		27.00R49	RT-4A+	2*	E-4	2S, 4S

Komatsu Ridged Truck Tire Sizes

Model No.	Truck Size	Tire Size	Type/ Description	Ply / Star Rating	Industry Code	Cpmd / Const
HD-785-5	100 ton	27.00R49	GP-2B	2*	E-3T	2S
		27.00R49	RL-4	2*	E-4	2S, 3S, 4S
		27.00R49	RL-4B	2*	E-4	2S, 3S, 4S, 6S
		27.00R49	RL-4H	2*	E-4	2S, 3S, 4S, 6S
		27.00R49	RL-4J	2*	E-4	3S, 4S, 6S
		27.00R49	RL-4JII	2*	E-4	2S, 3S, 4S, 6S
		27.00R49	RT-4A	2*	E-4	6S
		27.00R49	RT-4A+	2*	E-4	2S, 4S
HD1500-5	150-164 ton	33.00R51	RL-3J	2*	E-3	2S
		33.00R51	RL-4H	2*	E-4	2H, 3H, 4H, 6H, 3S, 4S
		33.00R51	RL-4HII	2*	E-4	3H 4H
		33.00R51	RL-4JII	2*	E-4	2H, 3H, 4H, 6H
630E	190 ton	36.00R51	RL-4H	2*	E-4	2S, 3S, 4S, 3H, 4H
		36.00R51	RL-4JII	2*	E-4	3S, 4S
730E	195-205 ton	37.00R57	RL-4H	2*	E-4	2H, 2S, 3HW, 4HW, 6HW
		37.00R57	RL-4HII	2*	E-4	2H, 3H, 4H
		37.00R57	RL-4JII	2*	E-4	2H, 3H, 4H, 6H
		37.00R57	RL-4M+	2*	E-4	2SL, 3SL, 4SL
830E	240-255 ton	40.00R57	RL-4B	2*	E-4	2H, 2SL, 3SL, 4SL

This page intentionally left blank

RADIAL TIRE SELECTION ARTICULATED TRUCK APPLICATION



Komatsu Articulated Truck Tire Sizes

Model No.	Truck Size	Tire Size	Type/ Description	Ply / Star Rating	Industry Code	Cpmd / Const
HM-300-1	30.1 ton	23.5R25	GP-2B	2*	E-3T	4S
		750/65R25 (30/65R25)	GP-3D	2*	E-3T	4S
		23.5R25	RL-2+	2*	E-3+T	4S,6S
		23.5R25	GP-4B AT	2*	E-4T	4S, 6S
HM-350-1	35.6 ton	26.5R25	GP-2B	2*	E-3T	4S
		26.5R25	RT-3B	2*	E-3	4S, 6S
		26.5R25	RL-2+	2*	E-3+T	4S, 6S
		26.5R25	TL-3A+	2*	E-3+T	4S, 6S
		26.5R25	GP-4B AT	2*	E-4T	4S
		26.5R25	GP-4D	2*	E-4	4S
HM-400-1	40 ton	29.5R25	GP-2B	2*	E-3	4S
		29.5R25	RL-2+	2*	E-3+T	4S, 6S
		29.5R25	GP-4B AT	2*	E-4T	4S

Goodyear Tires for Komatsu Backhoe Loaders



IT510
Radial
Aggressive Tread
Better Traction

IT515
Bias
Hard Surface



IT525
Bias
Smooth Ride
Good Traction



SG LUG
All Purpose
Maximum Traction

Komatsu Backhoe Loaders Tire Sizes

Model No.	Tire Size	Type/ Description	Ply / Star Rating	Industry Code
WB140-2	14-17.5 19.5L24	SS SGL IT515	10 12	SS-1 R-4
	14-17.5 19.5L24	SS SGL IT525	10 10	SS-1 R-4
	14-17.5 19.5L24	SS SGL IT525	10 12	SS-1 R-4
	14-17.5 19.5LR24	SS SGL IT510	10 156 (Load Index)	SS-1 R-4
WB140PS-2	14-17.5 19.5L24	SS SGL IT515	10 12	SS-1 R-4
	14-17.5 19.5L24	SS SGL IT525	10 10	SS-1 R-4
	14-17.5 19.5L24	SS SGL IT525	10 12	SS-1 R-4
	14-17.5 19.5LR24	SS SGL IT510	10 156 (Load Index)	SS-1 R-4
WB140-2N	14-17.5 19.5L24	SS SGL IT515	10 12	SS-1 R-4
	14-17.5 19.5L24	SS SGL IT525	10 10	SS-1 R-4
	14-17.5 19.5L24	SS SGL IT525	10 12	SS-1 R-4
	14-17.5 19.5LR24	SS SGL IT510	10 156 (Load Index)	SS-1 R-4

Model No.	Tire Size	Type/ Description	Ply / Star Rating	Industry Code
WB150-2	14-17.5 19.5L24	SS SGL IT515	10 12	SS-1 R-4
	14-17.5 19.5L24	SS SGL IT525	10 10	SS-1 R-4
	14-17.5 19.5L24	SS SGL IT525	10 12	SS-1 R-4
	14-17.5 19.5LR24	SS SGL IT510	10 156 (Load Index)	SS-1 R-4
WB150PS-2	14-17.5 19.5L24	SS SGL IT515	10 12	SS-1 R-4
	14-17.5 19.5L24	SS SGL IT525	10 10	SS-1 R-4
	14-17.5 19.5L24	SS SGL IT525	10 12	SS-1 R-4
	14-17.5 19.5LR24	SS SGL IT510	10 156 (Load Index)	SS-1 R-4
WB150AWS-2	16.9-24	IT525	12	R-4
	16.9-28	IT525	12	R-4

Goodyear Bias Tires for Komatsu Skidsteer



IT323

**Heavy Duty
Durability Puncture
Resistance**



SGL SS

**Traction and
Flotation**

Komatsu Skidsteer Tire Sizes

Model No.	Tire Size	Type/ Description	Ply Rating / Load Range
SK714-5	10X16.5NHS	SGL SS	C
	10X16.5NHS	IT323	8
	31x15.50-15NHS	IT323	8
SK815-5	10X16.5NHS	SGL SS	C
	10X16.5NHS	IT323	8
	31x15.50-15NHS	IT323	8
SK818-5	10X16.5NHS	SGL SS	C
	10X16.5NHS	IT323	8
	31x15.50-15NHS	IT323	8
SK820-5	10X16.5NHS	SGL SS	C
	10X16.5NHS	IT323	8
	31x15.50-15NHS	IT323	8
SK1020-5	12X16.5NHS	SGL SS	E
	12X16.5NHS	IT323	10